

List of References

Material Parameter Database

- [1] <http://www-ibt.etec.uni-karlsruhe.de/people/mag/frames/papers/EMC99-MD/node3.html>.
- [2] G. Barker, R. D. H. Boyd, S. W. D'Souza, P. Donnai, H. Fox, and C. P. Sibley. Placental water content and distribution. *Placenta*, 15(1):47–56, 1994.
- [3] R. J. Barnes, R. S. Comline, and A. Dobson. Changes in the blood flow to the digestive organs of sheep induced by feeding. *Experimental Physiology*, 68(1):77–88, 1983.
- [4] P. Bernardi, M. Cavagnaro, S. Pisa, and E. Piuzzi. Specific absorption rate and temperature elevation in a subject exposed in the far-field of radio-frequency sources operating in the 10-900 MHz range. *IEEE Trans Biomed Eng*, 50(3):295–304, 2003.
- [5] S. Bisdas, M. Baghi, J. Wagenblast, R. Knecht, C. H. Thng, T. S. Koh, and T. J. Vogl. Differentiation of benign and malignant parotid tumors using deconvolution-based perfusion ct imaging: feasibility of the method and initial results. *European journal of radiology*, 64(2):258–265, 2007.
- [6] H. F. Bowman, E. G. Cravalho, and M. Woods. Theory, measurement, and application of thermal properties of biomaterials. *Annu Rev Biophys Bioeng*, 4(00):43–80, 1975.
- [7] C. M. Collins, W. Liu, J. Wang, R. Gruetter, J. T. Vaughan, K. Ugurbil, and M. B. Smith. Temperature and sar calculations for a human head within volume and surface coils at 64 and 300 MHz. *J Magn Reson Imaging*, 19(5):650–6, 2004.
- [8] ESHO Taskgroup Committee. Treatment planning and modelling in hyperthermia, a task group report of the european society of hyperthermic oncology (Rome: Tor Vergata). 1992.
- [9] C. De Bazelaire, N. M. Rofsky, G. Duhamel, M. D. Michaelson, D. George, and D. C. Alsop. Arterial spin labeling blood flow magnetic resonance imaging for the characterization of metastatic renal cell carcinoma. *Academic Radiology*, 12(3):347–357, 2005.

- [10] J. P. Delille, P. J. Slanetz, E. D. Yeh, D. B. Kopans, and L. Garrido. Breast cancer: regional blood flow and blood volume measured with magnetic susceptibility-based MR imaging-initial results. *Radiology*, 223(2):558–65.
- [11] F. A. Duck. *Physical properties of tissue : a comprehensive reference book*. Academic Press, London, 1990.
- [12] K. R. Duncan, P. Gowland, S. Francis, R. Moore, P. N. Baker, and I. R. Johnson. The investigation of placental relaxation and estimation of placental perfusion using echo-planar magnetic resonance imaging. *Placenta*, 19(7):539–543, 1998.
- [13] K. R. Duncan, B. Issa, R. Moore, P. N. Baker, I. R. Johnson, and P. A. Gowland. A comparison of fetal organ measurements by echo planar magnetic resonance imaging and ultrasound. *BJOG :An International Journal of Obstetrics and Gynaecology*, 112(1):43–49, 2005.
- [14] I. S. Fraser, G. McCarron, B. Hutton, and D. Macey. An evaluation of two inert gas clearance techniques for measurement of endometrial blood flow in women. *Acta Obstet Gynecol Scand*, 66(6):551–7, 1996.
- [15] C. Gabriel. Compilation of the dielectric properties of body tissues at RF and microwave frequencies. *Report N.AL/OE-TR-1996-0037*, Brooks Air Force Base, 1996.
- [16] C. Gabriel, A. Peyman, and E. H. Grant. Electrical conductivity of tissue at frequencies below 1 MHz. *Physics in Medicine and Biology*, 54:4863, 2009.
- [17] K. Giering, I. Lamprecht, O. Minet, and A. Handke. Determination of the specific heat capacity of healthy and tumorous human tissue. *Thermochimica acta*, 251:199–205, 1995.
- [18] G. Grimby, E. Haggendal, and B. Saltin. Local xenon 133 clearance from the quadriceps muscle during exercise in man. *J Appl Physiol*, 22(2):305–10, 1967.
- [19] H. T. Haden, P. G. Katz, T. Mulligan, and N. D. Zasler. Penile blood flow by xenon-133 washout. *J Nucl Med*, 30(6):1032–5, 1989.
- [20] T. Haku, T. Hosoya, A. Komatani, T. Honma, Y. Sugai, M. Adachi, and K. Yamaguchi. Regional cerebral blood flow of the basal ganglia and thalamus measured using Xe-CT. *Nō to shinkei*, 52(3):231, 2000.
- [21] G. Hamilton. Investigations of the thermal properties of human and animal tissues. *PhD thesis*, University of Glasgow, 1998.
- [22] J. W. Hand, Y. Li, and J. V. Hajnal. Numerical study of RF exposure and the resulting temperature rise in the foetus during a magnetic resonance procedure. *Physics in Medicine and Biology*, 55:913, 2010.

- [23] K. R. Holmes. Thermal properties. <http://users.ece.utexas.edu/~valvano/research/Thermal.pdf>, 2009.
- [24] K. R. Holmes, W. Ryan, and M. M. Chen. Thermal conductivity and H₂O content in rabbit kidney cortex and medulla. *Journal of thermal biology*, 8(4):311–313, 1983.
- [25] ICRP/22/136/01. Basic anatomical and physiological data for use in radiological protection: reference values. *REM Task Group ICRP Committee 2*, 15-Nov-01.
- [26] I. Jansson. 133-xenon clearance in the myometrium of pregnant and non-pregnant women. *Acta Obstet Gynecol Scand*, 48(3):302–21, 1969.
- [27] S. J. Jeong, K. Park, J. D. Moon, and S. B. Ryu. Bicycle saddle shape affects penile blood flow. *Int J Impot Res*, 14(6):513–7, 2002.
- [28] H. John, S. Suter, and D. Hauri. Effect of radical prostatectomy on urethral blood flow. *Urology*, 59(4):566–569, 2002.
- [29] I. Klingenberg. The effect of radium on blood flow in the human uterine cervix measured by local hydrogen clearance. *Acta Obstet Gynecol Scand*, 53(1):7–11, 1974.
- [30] J. Kuikka, K. Käär, P. Jouppila, T. Pyörälä, and A. Rekonen. An intravenous 133xe method for measuring regional distribution of placental blood flow. *Acta Obstet Gynecol Scand*, 57(3):249–251, 1978.
- [31] K. H. Leissner and L. E. Tisell. The weight of the human prostate. *Scandinavian Journal of Urology and Nephrology*, 13(2):137–142, 1979.
- [32] G. Li, J. T. Bronk, and P. J. Kelly. Canine bone blood flow estimated with microspheres. *Journal of orthopaedic research*, 7(1):61–67, 1989.
- [33] R. L. McIntosh and V. Anderson. A comprehensive tissue properties database provided for the thermal assessment of a human at rest. *Biophysical Reviews and Letters*, 05(03):129–151, 2010.
- [34] O. Munck, H. Lysgaard, G. Pontonnier, H. Lefvre, and N. A. Lassen. Measurement of blood-flow through uterine muscle by local injection of 133xenon. *The Lancet*, 283(7348):1421–1421, 1964.
- [35] M. Nakase, K. Okumura, T. Tamura, T. Kamei, K. Kada, S. Nakamura, M. Inui, and T. Tagawa. Effects of near infrared irradiation to stellate ganglion in glossodynia. *Oral diseases*, 10(4):217–220, 2004.
- [36] J. Olsrud, B. Friberg, M. Ahlgren, and B. R. R. Persson. Thermal conductivity of uterine tissue in vitro. *Physics in Medicine and Biology*, 43:2397, 1998.

- [37] S. Özen, S. Çomlekçi, O. Çerezci, and Ö. Polat. Electrical properties of human eye and temperature increase calculation at the cornea surface for RF exposure. *Paper Web, Istanbul*, 2003.
- [38] P. Pantano, J. C. Baron, P. Lebrun-Grandie, N. Duquesnoy, M. G. Bousser, and D. Comar. Regional cerebral blood flow and oxygen consumption in human aging. *Stroke*, 15(4):635–641.
- [39] G. H. Parsons, G. C. Kramer, D. P. Link, B. M. T. Lantz, R. A. Gunther, J. F. Green, and C. E. Cross. Studies of reactivity and distribution of bronchial blood flow in sheep. *Chest*, 87(5 Supplement):180S–182S, 1985.
- [40] R. P. Rathmacher and L. L. Anderson. Blood flow and progesterone levels in the ovary of cycling and pregnant pigs. *American Journal of Physiology–Legacy Content*, 214(5):1014, 1968.
- [41] D. A. Roberts, J. A. Detre, L. Bolinger, E. K. Insko, R. E. Lenkinski, M. J. Pentecost, and J. S. Leigh. Renal perfusion in humans: MR imaging with spin tagging of arterial water. *Radiology*, 196(1):281, 1995.
- [42] K. M. Sekins, D. Dundore, A. F. Emery, J. F. Lehmann, P. W. McGrath, and W. B. Nelp. Muscle blood flow changes in response to 915 MHz diathermy with surface cooling as measured by xe133 clearance. *Arch Phys Med Rehabil*, 61(3):105–113, 1980.
- [43] M. Shirai, N. Ishii, S. Mitsukawa, S. Matsuda, and M. Nakamura. Hemodynamic mechanism of erection in the human penis. *Arch Androl*, 1(4):345–9, 1978.
- [44] J. W. Valvano, J. R. Cochran, and K. R. Diller. Thermal conductivity and diffusivity of biomaterials measured with self-heated thermistors. *International Journal of Thermophysics*, 6(3):301–311, 1985.
- [45] G. M. J. Van Leeuwen, J. J. W. Lagendijk, B. J. A. M. Van Leersum, A. P. M. Zwamborn, S. N. Hornsleth, and A. N. T. J. Kotte. Calculation of change in brain temperatures due to exposure to a mobile phone. *Physics in Medicine and Biology*, 44(10):2367–2379, 1999.
- [46] G. Wagner and B. Ottesen. Vaginal blood flow during sexual stimulation. *Obstet Gynecol*, 56(5):621–4, 1980.
- [47] L. R. Williams and R. W. Leggett. Reference values for resting blood flow to organs of man. *Clinical Physics and Physiological Measurement*, 10:187–217, 1989.
- [48] H. Q. Woodard and D. R. White. The composition of body tissues. *British journal of radiology*, 59(708):1209, 1986.

- [49] C. H. Wu, D. C. Lindsey, D. L. Traber, C. E. Cross, D. N. Hern-
don, and G. C. Kramer. Measurement of bronchial blood flow with
radioactive microspheres in awake sheep. *Journal of Applied Physiol-
ogy*, 65(3):1131–1139, 1988.
- [50] L. X. Xu, L. Zhu, and K. R. Holmes. Thermoregulation in the canine
prostate during transurethral microwave hyperthermia, part II: blood
flow response. *International journal of hyperthermia*, 14(1):65–73, 1998.