

References

v2.4 (30.07.2013)

A. Thermal and Physical Parameters

- [1] <http://www-ibt.etec.uni-karlsruhe.de/people/mag/frames/papers/EMC99-MD/node3.html>.
- [2] G. Barker, R. D. H. Boyd, S. W. D'Souza, P. Donnai, H. Fox, and C. P. Sibley. Placental water content and distribution. *Placenta*, 15(1):47–56, 1994.
- [3] R. J. Barnes, R. S. Comline, and A. Dobson. Changes in the blood flow to the digestive organs of sheep induced by feeding. *Experimental Physiology*, 68(1):77–88, 1983.
- [4] P. Bernardi, M. Cavagnaro, S. Pisa, and E. Piuzzi. Specific absorption rate and temperature elevation in a subject exposed in the far-field of radio-frequency sources operating in the 10-900 MHz range. *IEEE Transactions on Biomedical Engineering*, 50(3):295–304, 2003.
- [5] S. Bisdas, M. Baghi, J. Wagenblast, R. Knecht, C. H. Thng, T. S. Koh, and T. J. Vogl. Differentiation of benign and malignant parotid tumors using deconvolution-based perfusion CT imaging: feasibility of the method and initial results. *European Journal of Radiology*, 64(2):258–265, 2007.
- [6] H. F. Bowman, E. G. Cravalho, and M. Woods. Theory, measurement, and application of thermal properties of biomaterials. *Annual Review of Biophysics and Bioengineering*, 4(1):43–80, 1975.
- [7] C. M. Collins, W. Liu, J. Wang, R. Gruetter, J. T. Vaughan, K. Ugurbil, and M. B. Smith. Temperature and SAR calculations for a human head within volume and surface coils at 64 and 300 MHz. *Journal of Magnetic Resonance Imaging*, 19(5):650–656, 2004.
- [8] ESHO Taskgroup Committee. Treatment planning and modelling in hyperthermia, a task group report of the european society of hyperthermic oncology (Rome: Tor Vergata). 1992.

- [9] C. De Bazelaire, N. M. Rofsky, G. Duhamel, M. D. Michaelson, D. George, and D. C. Alsop. Arterial spin labeling blood flow magnetic resonance imaging for the characterization of metastatic renal cell carcinoma. *Academic Radiology*, 12(3):347–357, 2005.
- [10] J. P. Delille, P. J. Slanetz, E. D. Yeh, D. B. Kopans, and L. Garrido. Breast cancer: regional blood flow and blood volume measured with magnetic susceptibility-based MR imaging - initial results. *Radiology*, 223(2):558–565.
- [11] F. A. Duck. *Physical properties of tissue: a comprehensive reference book*, volume 18. Medical Physics, London, 1990.
- [12] K. R. Duncan, P. Gowland, S. Francis, R. Moore, P. N. Baker, and I. R. Johnson. The investigation of placental relaxation and estimation of placental perfusion using echo-planar magnetic resonance imaging. *Placenta*, 19(7):539–543, 1998.
- [13] K. R. Duncan, B. Issa, R. Moore, P. N. Baker, I. R. Johnson, and P. A. Gowland. A comparison of fetal organ measurements by echo planar magnetic resonance imaging and ultrasound. *International Journal of Obstetrics and Gynaecology*, 112(1):43–49, 2005.
- [14] I. S. Fraser, G. McCarron, B. Hutton, and D. Macey. An evaluation of two inert gas clearance techniques for measurement of endometrial blood flow in women. *Acta Obstetrica et Gynecologica Scandinavica*, 66(6):551–557, 1996.
- [15] K. Giering, I. Lamprecht, O. Minet, and A. Handke. Determination of the specific heat capacity of healthy and tumorous human tissue. *Thermochimica Acta*, 251:199–205, 1995.
- [16] G. Grimby, E. Haggendal, and B. Saltin. Local xenon 133 clearance from the quadriceps muscle during exercise in man. *Journal of Applied Physiology: Respiratory, Environmental and Exercise Physiology*, 22(2):305–310, 1967.
- [17] H. T. Haden, P. G. Katz, T. Mulligan, and N. D. Zasler. Penile blood flow by xenon-133 washout. *Journal of Nuclear Medicine*, 30(6):1032–1035, 1989.
- [18] T. Haku, T. Hosoya, A. Komatani, T. Honma, Y. Sugai, M. Adachi, and K. Yamaguchi. Regional cerebral blood flow of the basal ganglia and thalamus measured using Xe-CT. *Nō to shinkei*, 52(3):231–235, 2000.
- [19] G. Hamilton. Investigations of the thermal properties of human and animal tissues. *PhD thesis*, University of Glasgow, 1998.

- [20] J. W. Hand, Y. Li, and J. V. Hajnal. Numerical study of RF exposure and the resulting temperature rise in the foetus during a magnetic resonance procedure. *Physics in Medicine and Biology*, 55:913–930, 2010.
- [21] K. R. Holmes. Thermal properties. <http://users.ece.utexas.edu/~valvano/research/Thermal.pdf>, 2009.
- [22] K. R. Holmes, W. Ryan, and M. M. Chen. Thermal conductivity and H₂O content in rabbit kidney cortex and medulla. *Journal of Thermal Biology*, 8(4):311–313, 1983.
- [23] ICRP/22/136/01. Basic anatomical and physiological data for use in radiological protection: reference values. *REM Task Group ICRP Committee 2*, 89, 2001.
- [24] I. Jansson. ¹³³Xenon clearance in the myometrium of pregnant and non-pregnant women. *Acta Obstetrica et Gynecologica Scandinavica*, 48(3):302–321, 1969.
- [25] S. J. Jeong, K. Park, J. D. Moon, and S. B. Ryu. Bicycle saddle shape affects penile blood flow. *International Journal of Impotence Research*, 14(6):513–517, 2002.
- [26] H. John, S. Suter, and D. Hauri. Effect of radical prostatectomy on urethral blood flow. *Urology*, 59(4):566–569, 2002.
- [27] I. Klingenberg. The effect of radium on blood flow in the human uterine cervix measured by local hydrogen clearance. *Acta Obstetrica et Gynecologica Scandinavica*, 53(1):7–11, 1974.
- [28] J. Kuikka, K. Käär, P. Jouppila, T. Pyörälä, and A. Rekonen. An intravenous ¹³³Xe method for measuring regional distribution of placental blood flow. *Acta Obstetrica et Gynecologica Scandinavica*, 57(3):249–251, 1978.
- [29] K. H. Leissner and L. E. Tisell. The weight of the human prostate. *Scandinavian Journal of Urology and Nephrology*, 13(2):137–142, 1979.
- [30] G. Li, J. T. Bronk, and P. J. Kelly. Canine bone blood flow estimated with microspheres. *Journal of Orthopaedic Research*, 7(1):61–67, 1989.
- [31] R. L. McIntosh and V. Anderson. A comprehensive tissue properties database provided for the thermal assessment of a human at rest. *Biophysical Reviews and Letters*, 5(3):129–151, 2010.
- [32] O. Munck, H. Lysgaard, G. Pontonnier, H. Lefevre, and N. A. Lassen. Measurement of blood-flow through uterine muscle by local injection of ¹³³xenon. *The Lancet*, 283(7348):1421–1421, 1964.

- [33] M. Nakase, K. Okumura, T. Tamura, T. Kamei, K. Kada, S. Nakamura, M. Inui, and T. Tagawa. Effects of near infrared irradiation to stellate ganglion in glossodynia. *Oral Diseases*, 10(4):217–220, 2004.
- [34] J. Olsrud, B. Friberg, M. Ahlgren, and B. R. R. Persson. Thermal conductivity of uterine tissue in vitro. *Physics in Medicine and Biology*, 43:2397–2406, 1998.
- [35] S. Özen, S. Çomlekçi, O. Çerezci, and Ö. Polat. Electrical properties of human eye and temperature increase calculation at the cornea surface for RF exposure. *Paper Web, Istanbul*, 2003.
- [36] P. Pantano, J. C. Baron, P. Lebrun-Grandie, N. Duquesnoy, M. G. Bousser, and D. Comar. Regional cerebral blood flow and oxygen consumption in human aging. *Stroke*, 15(4):635–641, 1984.
- [37] G. H. Parsons, G. C. Kramer, D. P. Link, B. M. T. Lantz, R. A. Gunther, J. F. Green, and C. E. Cross. Studies of reactivity and distribution of bronchial blood flow in sheep. *Chest*, 87(5):180–182, 1985.
- [38] R. P. Rathmacher and L. L. Anderson. Blood flow and progesterone levels in the ovary of cycling and pregnant pigs. *American Journal of Physiology*, 214(5):1014–1018, 1968.
- [39] D. A. Roberts, J. A. Detre, L. Bolinger, E. K. Insko, R. E. Lenkinski, M. J. Pentecost, and J. S. Leigh. Renal perfusion in humans: MR imaging with spin tagging of arterial water. *Radiology*, 196(1):281–286, 1995.
- [40] K. M. Sekins, D. Dundore, A. F. Emery, J. F. Lehmann, P. W. McGrath, and W. B. Nelp. Muscle blood flow changes in response to 915 MHz diathermy with surface cooling as measured by Xe133 clearance. *Archives of Physical Medicine and Rehabilitation*, 61(3):105–13, 1980.
- [41] M. Shirai, N. Ishii, S. Mitsukawa, S. Matsuda, and M. Nakamura. Hemodynamic mechanism of erection in the human penis. *Archives of Andrology*, 1(4):345–349, 1978.
- [42] J. W. Valvano, J. R. Cochran, and K. R. Diller. Thermal conductivity and diffusivity of biomaterials measured with self-heated thermistors. *International Journal of Thermophysics*, 6(3):301–311, 1985.
- [43] G. M. J. Van Leeuwen, J. J. W. Lagendijk, B. J. A. M. Van Leersum, A. P. M. Zwamborn, S. N. Hornsleth, and A. N. T. J. Kotte. Calculation of change in brain temperatures due to exposure to a mobile phone. *Physics in Medicine and Biology*, 44(10):2367–2379, 1999.
- [44] G. Wagner and B. Ottesen. Vaginal blood flow during sexual stimulation. *Obstetrics and Gynecology*, 56(5):621–624, 1980.

- [45] L. R. Williams and R. W. Leggett. Reference values for resting blood flow to organs of man. *Clinical Physics and Physiological Measurement*, 10:187–217, 1989.
- [46] H. Q. Woodard and D. R. White. The composition of body tissues. *British Journal of Radiology*, 59(708):1209–1218, 1986.
- [47] C. H. Wu, D. C. Lindsey, D. L. Traber, C. E. Cross, D. N. Herndon, and G. C. Kramer. Measurement of bronchial blood flow with radioactive microspheres in awake sheep. *Journal of Applied Physiology*, 65(3):1131–1139, 1988.
- [48] L. X. Xu, L. Zhu, and K. R. Holmes. Thermoregulation in the canine prostate during transurethral microwave hyperthermia, part II: blood flow response. *International Journal of Hyperthermia*, 14(1):65–73, 1998.

B. Frequency-Dependent Parameters

- [49] C. Gabriel. Compilation of the dielectric properties of body tissues at RF and microwave frequencies. *Report N.AL/OE-TR-1996-0004*, Brooks Air Force Base, 1996.
- [50] C. Gabriel, S. Gabriel, and E. Corthout. The dielectric properties of biological tissues: I. literature survey. *Physics in Medicine and Biology*, 41(11):2231–2249, 1996.
- [51] S. Gabriel, R. W. Lau, and C. Gabriel. The dielectric properties of biological tissues: II. measurements in the frequency range of 10 Hz to 20 GHz. *Physics in Medicine and Biology*, 41(11):2251–2269, 1996.
- [52] S. Gabriel, R. W. Lau, and C. Gabriel. The dielectric properties of biological tissues: III. parametric models for the dielectric spectrum of tissues. *Physics in Medicine and Biology*, 41(11):2271–2293, 1996.

C. Low-Frequency Conductivity

- [53] T. J. Faes, H. A. van der Meij, J. C. de Munck, and R. M. Heethaar. The electric resistivity of human tissues (100 Hz –10 MHz): a meta-analysis of review studies. *Physiological Measurement*, 20(4):1–10, 1999.

- [54] C. Gabriel, A. Peyman, and E. H. Grant. Electrical conductivity of tissue at frequencies below 1 MHz. *Physics in Medicine and Biology*, 54(16):4863–4878, 2009.
- [55] S. Grimmes and O. G. Martinsen. *Bioimpedance and Bioelectricity Basics*. 2nd edition, 2008.
- [56] C. Nicholson and J. A. Freeman. Theory of current source-density analysis and determination of conductivity tensor for anuran cerebellum. *Journal of Neurophysiology*, 38(2):356–368, 1975.
- [57] P. W. Nicholson. Specific impedance of cerebral white matter. *Experimental Neurology*, 13(4):386–401, 1965.
- [58] A. Peyman, S. J. Holden, S. Watts, R. Perrott, and C. Gabriel. Dielectric properties of porcine cerebrospinal tissues at microwave frequencies: in vivo, in vitro and systematic variation with age. *Physics in Medicine and Biology*, 52:2229–2245, 2007.
- [59] V. Raicu, N. Kitagawa, and A. Irimajiri. A quantitative approach to the dielectric properties of the skin. *Physics in Medicine and Biology*, 45(2):1–4, 2000.
- [60] V. Raicu, T. Saibara, H. Enzan, and A. Irimajiri. Dielectric properties of rat liver in vivo: analysis by modeling hepatocytes in the tissue architecture. *Bioelectrochemistry and Bioenergetics*, 47:333–342, 1998.
- [61] V. Raicu, T. Saibara, and A. Irimajiri. Dielectric properties of rat liver in vivo: a noninvasive approach using an open-ended coaxial probe at audio \ radio frequencies. *Bioelectrochemistry and Bioenergetics*, 47:325–332, 1998.
- [62] J. B. J. Ranck and S. L. BeMent. The specific impedance of the dorsal columns of cat: an anisotropic medium. *Experimental Neurology*, 11(4):451–463, 1965.
- [63] S. Rush, J. A. Abildskov, and R. McFee. Resistivity of body tissues at low frequencies. *Circulation Research*, 12:40–50, 1963.
- [64] S. Saha and P. A. Williams. Electric and dielectric properties of wet human cancellous bone as a function of frequency. *Annals of Biomedical Engineering*, 17(2):143–158, 1989.
- [65] P. Steendijk, E. T. van der Velde, and J. Baan. Dependence of anisotropic myocardial electrical resistivity on cardiac phase and excitation frequency. *Basic Research in Cardiology*, 89(5):411–426, 1994.
- [66] J.-Z. Tsai, J. A. Will, S. Hubbard-Van Stelle, Hong C., S. Tungjitkusolmun, Y. B. Choy, D. Haemmerich, V. R. Vorperian, and J. G. Webster. In-vivo measurement of swine myocardial resistivity. *IEEE Transactions on Biomedical Engineering*, 49(5):472–483, 2002.

- [67] M. Yedlin, H. Kwan, J.T. Murphy, H. Nguyen-Huu, and Y.C. Wong. Electrical conductivity in cat cerebellar cortex. *Experimental Neurology*, 43(3):555–569, 1974.