

IT'IS Tissue Morphometry Database V1.0

January 22, 2020

References

- [1] Adams, Matthew E, Linn, Jennifer, and Yousry, Indra. "Pathology of the ocular motor nerves III, IV, and VI". en. In: *Neuroimaging Clinics of North America* 18.2 (2008), pp. 261–282. DOI: [10.1016/j.nic.2007.11.001](https://doi.org/10.1016/j.nic.2007.11.001).
- [2] Agarwal, P. et al. "Sciatic Nerve to Pudendal Nerve Transfer: Anatomical Feasibility for a New Proposed Technique". en. In: *Indian Journal of Plastic Surgery* 02.52 (2019), pp. 222–225. DOI: [10.1055/s-0039-1688513](https://doi.org/10.1055/s-0039-1688513).
- [3] Archibald, S. J. et al. "Monkey Median Nerve Repaired by Nerve Graft or Collagen NerveGuide Tube". en. In: *Journal of Neuroscience* 5.15 (1995), pp. 4109–4123. DOI: [10.1523/JNEUROSCI.15-05-04109.1995](https://doi.org/10.1523/JNEUROSCI.15-05-04109.1995).
- [4] Balazsi, A.G. et al. "The Effect of Age on the Nerve Fiber Population of the Human Optic Nerve". en. In: *American Journal of Ophthalmology* 97.6 (1984), pp. 760–766. DOI: [10.1016/0002-9394\(84\)90509-9](https://doi.org/10.1016/0002-9394(84)90509-9).
- [5] Behse, F. et al. "Unmyelinated Fibers and Schwann Cells of Sural Nerve in Neuropathy". en. In: *Brain* 3.98 (1975), pp. 493–510. DOI: [10.1093/brain/98.3.493](https://doi.org/10.1093/brain/98.3.493).
- [6] Boehm, J. "High resolution sonography of peripheral nerves: normal values in healthy individuals and the role of sonography in rare disorders of peripheral nerves". en. In: (2014). DOI: [10.14753/SE.2014.1988](https://doi.org/10.14753/SE.2014.1988).
- [7] Bos, J.C. et al. "The surgical anatomy of the superior gluteal nerve and anatomical radiologic bases of the direct lateral approach to the hip". en. In: *Surgical and Radiologic Anatomy* 3.16 (1994), pp. 253–258. DOI: [10.1007/BF01627679](https://doi.org/10.1007/BF01627679).
- [8] Bradley, Walter G. et al. "Morphometric and biochemical studies of peripheral nerves in amyotrophic lateral sclerosis". en. In: *Annals of Neurology* 14.3 (1983), pp. 267–277. DOI: [10.1002/ana.410140304](https://doi.org/10.1002/ana.410140304).
- [9] Brammer, J.P. and Epker, B.N. "Anatomic-histologic survey of the sural nerve: Implications for inferior alveolar nerve grafting". en. In: *Journal of Oral and Maxillofacial Surgery* 2.46 (1988), pp. 111–117. DOI: [10.1016/0278-2391\(88\)90261-3](https://doi.org/10.1016/0278-2391(88)90261-3).

- [10] Brill, Natalie A. and Tyler, Dustin J. “Quantification of human upper extremity nerves and fascicular anatomy”. en. In: *Muscle and Nerve* 56.3 (2017), pp. 463–471. DOI: [10.1002/mus.25534](https://doi.org/10.1002/mus.25534).
- [11] Brown, Justin M. et al. “Anatomical feasibility of performing intercostal and ilioinguinal nerve to pelvic nerve transfer: a possible technique to restore lower urinary tract innervation”. en. In: *Journal of Neurosurgery: Spine SP* 17.4 (2012), pp. 357–362. DOI: [10.3171/2012.7.SPINE12214](https://doi.org/10.3171/2012.7.SPINE12214).
- [12] Carptier, G. et al. “Organization and microscopic anatomy of the adult human facial nerve: anatomical and histological basis for surgery”. en. In: *Plastic Reconstruction Surgery* 115.6 (2005), pp. 1457–1465. DOI: [10.1097/01.PRS.0000160264.42201.F5](https://doi.org/10.1097/01.PRS.0000160264.42201.F5).
- [13] Castro, Othoniel, Johnson, Lenworth N., and Mamourian, Alexander C. “Isolated Inferior Oblique Paresis From Brain-Stem Infarction: Perspective on Oculomotor Fascicular Organization in the Ventral Midbrain Tegmentum”. en. In: *Archives of Neurology* 47.2 (1990), pp. 235–237. DOI: [10.1001/archneur.1990.00530020149032](https://doi.org/10.1001/archneur.1990.00530020149032).
- [14] Choi, B.S. et al. “High-Resolution 3D MR Imaging of the Trochlear Nerve”. en. In: 31.6 (2010), pp. 1076–1079. DOI: [10.3174/ajnr.A1992](https://doi.org/10.3174/ajnr.A1992).
- [15] Crumley, R.L. “Interfascicular nerve repair. Is it applicable in facial injuries?” en. In: *Archives of otolaryngology (Chicago, Ill. : 1960)* 106.6 (1980), pp. 313–316. DOI: [10.1001/archotol.1980.00790300001001](https://doi.org/10.1001/archotol.1980.00790300001001).
- [16] Delgado-Martinez, I. et al. “Fascicular Topography of the Human Median Nerve for Neuroprosthetic Surgery”. en. In: *Frontiers in Neuroscience* 10 (2016), p. 286. DOI: [10.3389/fnins.2016.00286](https://doi.org/10.3389/fnins.2016.00286).
- [17] Demircay, E. et al. “Spinal Nerve Root Compositions of Musculocutaneous Nerve: An Anatomical Study”. en. In: *Turkic Neurosurgery* (2014), pp. 880–884. DOI: [10.5137/1019-5149.JTN.9145-13.1](https://doi.org/10.5137/1019-5149.JTN.9145-13.1).
- [18] Ebraheim, N.A. et al. “Lumbosacral plexus: a histological study.” en. In: *Cells Tissues Organs* 158.4 (1997), pp. 274–278. DOI: [10.1159/000147940](https://doi.org/10.1159/000147940).
- [19] Erbay, Sami H. et al. “Nerve Atrophy in Severe Trigeminal Neuralgia: Noninvasive Confirmation at MR Imaging—Initial Experience”. en. In: *Radiology* 238.2 (2006), pp. 689–692. DOI: [10.1148/radiol.2382042214](https://doi.org/10.1148/radiol.2382042214).
- [20] Ezure, H. et al. “Morphometric Analysis of the Human Trigeminal Nerve”. en. In: *Okajimas Folia Anatomica Japonica* 78.2-3 (2001), pp. 49–53. DOI: [10.2535/ofaj1936.78.2-3.49](https://doi.org/10.2535/ofaj1936.78.2-3.49).
- [21] Fedtke, Nadin, Witte, Otto W., and Prell, Tino. “Ultrasonography of the Vagus Nerve in Parkinson’s Disease”. en. In: *Frontiers in Neurology* 9 (2018), p. 525. DOI: [10.3389/fneur.2018.00525](https://doi.org/10.3389/fneur.2018.00525).
- [22] Freitas, C.A.F. de et al. “Anatomical study of jugular foramen in the neck”. en. In: *Brazilian Journal of Otorhinolaryngology* (2018). DOI: [10.1016/j.bjorl.2018.09.004](https://doi.org/10.1016/j.bjorl.2018.09.004).

- [23] Goubier, J. N., Teboul, Frédéric, and Yeo, Sitienehin. “Transfer of two motor branches of the anterior obturator nerve to the motor portion of the femoral nerve: an anatomical feasibility study”. en. In: *Microsurgery* 32.6 (2012), pp. 463–5. DOI: [10.1002/micr.22012](https://doi.org/10.1002/micr.22012).
- [24] Goubier, Jean-Noël, Teboul, Frederic, and Yeo, Sitienehin. “Transfer of two motor branches of the anterior obturator nerve to the motor portion of the femoral nerve: An anatomical feasibility study”. en. In: *Microsurgery* 32.6 (2012), pp. 463–465. DOI: [10.1002/micr.22012](https://doi.org/10.1002/micr.22012).
- [25] Greilinger, G., Holle, J., and Sulzgruber, S.C. “Distribution of motor and sensory fibers in the intercostal nerves. Significance in reconstructive surgery”. en. In: *Plastic Reconstruction Surgery* 62.2 (1978), pp. 240–244. DOI: [10.1097/00006534-197808000-00013](https://doi.org/10.1097/00006534-197808000-00013).
- [26] Gustafson, Kenneth et al. “Fascicular anatomy of human femoral nerve: Implications for neural prostheses using nerve cuff electrodes”. en. In: *Journal of rehabilitation research and development* 46 (2009), pp. 973–84. DOI: [10.1682/JRRD.2008.08.0097](https://doi.org/10.1682/JRRD.2008.08.0097).
- [27] Gustafson, Kenneth J. et al. “Fascicular anatomy and surgical access of the human pudendal nerve”. en. In: *World Journal of Urology* 23.6 (2005), pp. 411–418. DOI: [10.1007/s00345-005-0032-4](https://doi.org/10.1007/s00345-005-0032-4).
- [28] Gustafson, K.J. et al. “Human distal sciatic nerve fascicular anatomy: implications for ankle control using nerve-cuff electrodes”. en. In: *Journal of rehabilitation research and development* 49.2 (2012), pp. 309–21. DOI: [10.1682/jrrd.2010.10.0201](https://doi.org/10.1682/jrrd.2010.10.0201).
- [29] Hammer, Niels et al. “Human Vagus Nerve Branching in the Cervical Region”. en. In: *PLOS ONE* 10 (2015). DOI: [10.1371/journal.pone.0118006](https://doi.org/10.1371/journal.pone.0118006).
- [30] Hauck, Erik F. et al. “Measurements and mapping of 282,420 nerve fibers in the S1–5 nerve roots”. en. In: *Journal of Neurosurgery: Spine SPI* 11.3 (2009), pp. 255–263. DOI: [10.3171/2009.3.SPINE17684](https://doi.org/10.3171/2009.3.SPINE17684).
- [31] Hoffman, Henry Harland and Schnitzlein, Harold Norman. “The numbers of nerve fibers in the vagus nerve of man”. en. In: *The Anatomical Record* 139.3 (1961), pp. 429–435. DOI: [10.1002/ar.1091390312](https://doi.org/10.1002/ar.1091390312).
- [32] Hogan, Q. “Size of Human Lower Thoracic and Lumbosacral Nerve Roots”. en. In: *Anesthesiology* 1.85 (1996), pp. 37–42. DOI: [10.1097/00000542-199607000-00006](https://doi.org/10.1097/00000542-199607000-00006).
- [33] Hunt, Carlton C. “Relation of Function to Diameter in Afferent Fibers of Muscle Nerves”. en. In: 38.1 (1954), pp. 117–131. DOI: [10.1085/jgp.38.1.117](https://doi.org/10.1085/jgp.38.1.117).
- [34] Ikeda, S. et al. “Vagus nerve and celiac ganglion lesions in generalized amyloidosis: A correlative study of familial amyloid polyneuropathy and AL-amyloidosis”. en. In: *Journal of the Neurological Sciences* 79.1 (1987), pp. 129–139. DOI: [10.1016/0022-510X\(87\)90267-X](https://doi.org/10.1016/0022-510X(87)90267-X).

- [35] Ingbert, Charles. “An enumeration of the medullated nerve fibers in the dorsal roots of the spinal nerves of man”. en. In: *Journal of Comparative Neurology* 13.2 (1903), pp. 53–120. DOI: [10.1002/cne.910130202](https://doi.org/10.1002/cne.910130202).
- [36] Jacobs, J. M. and Love, S. “Qualitative and Quantitative Morphology of Human Sural Nerve at Different Ages”. en. In: *Brain* 108.4 (1985), pp. 897–924. DOI: [10.1093/brain/108.4.897](https://doi.org/10.1093/brain/108.4.897).
- [37] Jaryszak, Eric M. et al. “Cochlear nerve diameter in normal hearing ears using high-resolution magnetic resonance imaging”. en. In: *The Laryngoscope* 119.10 (2009), pp. 2042–2045. DOI: [10.1002/lary.20516](https://doi.org/10.1002/lary.20516).
- [38] Jefferson, D. and Eames, Rosemary A. “Subclinical entrapment of the lateral femoral cutaneous nerve: An autopsy study”. en. In: *Muscle & Nerve* 2.2 (1979), pp. 145–154. DOI: [10.1002/mus.880020209](https://doi.org/10.1002/mus.880020209).
- [39] Jeffery, G. et al. “The human optic nerve: fascicular organisation and connective tissue types along the extra-fascicular matrix”. en. In: *Anatomy and Embryology* 191.6 (1995), pp. 491–502. DOI: [10.1007/BF00186739](https://doi.org/10.1007/BF00186739).
- [40] Jonas, J. B. et al. “Histomorphometry of the human optic nerve”. en. In: *Investigative Ophthalmology & Visual Science* 31.4 (1990), pp. 736–744.
- [41] Kanda, T. et al. “Morphological Changes in Unmyelinated Nerve Fibers in the Sural Nerve With Age”. en. In: *Brain* 114.1 (1991), pp. 585–599. DOI: [10.1093/brain/114.1.585](https://doi.org/10.1093/brain/114.1.585).
- [42] Kerr, Frederick W. L. and Hollowell, O. Weems. “Location of pupillomotor and accommodation fibres in the oculomotor nerve: Experimental observations on paralytic mydriasis”. en. In: *Journal of Neurology, Neurosurgery & Psychiatry* 27.5 (1964), pp. 473–481. DOI: [10.1136/jnnp.27.5.473](https://doi.org/10.1136/jnnp.27.5.473).
- [43] Kostelic, John K., Haughton, Victor M., and Sether, Lowell A. “Anatomy of the lumbar spinal nerves in the intervertebral foramen”. en. In: *Clinical Anatomy* 4.5 (1991), pp. 366–372. DOI: [10.1002/ca.980040507](https://doi.org/10.1002/ca.980040507).
- [44] Lee, Dae Seung et al. “Morphometry of the Trochlear Nerve and Superior Oblique Muscle Volume in Congenital Superior Oblique Palsy”. en. In: *Investigative Ophthalmology & Visual Science* 55.12 (2014), pp. 8571–8575. DOI: [10.1167/iovs.14-15323](https://doi.org/10.1167/iovs.14-15323).
- [45] Lee, Kyu-Seok. “Variation of the spinal nerve compositions of thoracodorsal nerve”. en. In: *Clinical Anatomy* 20.6 (2007), pp. 660–662. DOI: [10.1002/ca.20484](https://doi.org/10.1002/ca.20484).
- [46] Li, Zhengyi et al. “Structure of the brachial plexus root and adjacent regions displayed by ultrasound imaging”. en. In: *Neural regeneration research* 7.26 (2012), p. 2044. DOI: [10.3969/j.issn.1673-5374.2012.26.006](https://doi.org/10.3969/j.issn.1673-5374.2012.26.006).
- [47] Lim, Key Hwan, Engle, Elizabeth C., and Demer, Joseph L. “Abnormalities of the Oculomotor Nerve in Congenital Fibrosis of the Extraocular Muscles and Congenital Oculomotor Palsy”. en. In: *Investigative Ophthalmology & Visual Science* 48.4 (2007), pp. 1601–1606. DOI: [10.1167/iovs.06-0691](https://doi.org/10.1167/iovs.06-0691).

- [48] Liu, Y.T. et al. “The diameters and number of nerve fibers in spinal nerve roots”. en. In: *The Journal of Spinal Cord Medicine* 38.4 (2015), pp. 532–537. DOI: [10.1179/1079026814Z.000000000273](https://doi.org/10.1179/1079026814Z.000000000273).
- [49] Mackinnon, S.E. and Dellon, A. L. “Fascicular Patterns of the Hypoglossal Nerve”. en. In: *Journal of Reconstructive Microsurgery* 11.3 (1995), pp. 195–198. DOI: [10.1055/s-2007-1006531](https://doi.org/10.1055/s-2007-1006531).
- [50] Maida, Eugene et al. “Sonographic Visualization of the Posterior Cutaneous Nerve of the Forearm: Technique and Validation Using Perineural Injections in a Cadaveric Model”. en. In: *Journal of Ultrasound in Medicine* 36.8 (2017), pp. 1627–1637. DOI: [10.7863/ultra.16.08027](https://doi.org/10.7863/ultra.16.08027).
- [51] Marx, S. Chakravarthy et al. “Microanatomical and immunohistochemical study of the human lateral antebrachial cutaneous nerve of forearm at the antecubital fossa and its clinical implications”. en. In: *Clinical Anatomy* 23.6 (2010), pp. 693–701.
- [52] McLeod, J. G. and Wray, S. H. “Conduction velocity and fibre diameter of the median and ulnar nerves of the baboon”. en. In: *Journal of Neurology, Neurosurgery & Psychiatry* 30.3 (1967), pp. 240–247. DOI: [10.1136/jnnp.30.3.240](https://doi.org/10.1136/jnnp.30.3.240).
- [53] Meng, S. et al. “Ultrasound of the Hypoglossal Nerve in the Neck: Visualization and Initial Clinical Experience with Patients”. en. In: *American Journal of Neuroradiology* 37.2 (2016), pp. 354–359. DOI: [10.3174/ajnr.A4494](https://doi.org/10.3174/ajnr.A4494).
- [54] Mittal, K. R. and Logmani, F. H. “Age-related Reduction in 8th Cervical Ventral Nerve Root Myelinated Fiber Diameters and Numbers in Man”. en. In: *Journal of Gerontology* 42.1 (1987), pp. 8–10. DOI: [10.1093/geronj/42.1.8](https://doi.org/10.1093/geronj/42.1.8).
- [55] Moayeri, Nizar and Groen, Gerbrand J. “Differences in Quantitative Architecture of Sciatic Nerve May Explain Differences in Potential Vulnerability to Nerve Injury, Onset Time, and Minimum Effective Anesthetic Volume”. en. In: *Anesthesiology: The Journal of the American Society of Anesthesiologists* 111.5 (2009), pp. 1128–1134. DOI: [10.1097/ALN.0b013e3181bbc72a](https://doi.org/10.1097/ALN.0b013e3181bbc72a).
- [56] Moriyama, Hiroshi et al. “Sex differences in morphometric aspects of the peripheral nerves and related diseases”. en. In: *Neuro Rehabilitation* 39.3 (2016), pp. 413–422. DOI: [10.3233/NRE-161372](https://doi.org/10.3233/NRE-161372).
- [57] Nassar, John A. et al. “Morphology of the axillary nerve in an anteroinferior shoulder arthroscopy portal”. en. In: *Arthroscopy: The Journal of Arthroscopic & Related Surgery* 13.5 (1997), pp. 600–605. DOI: [10.1016/S0749-8063\(97\)90187-0](https://doi.org/10.1016/S0749-8063(97)90187-0).
- [58] Ochoa, J. and Mair, W. G. P. “The normal sural nerve in man. I. Ultrastructure and Numbers of Fibres and Cells”. en. In: *Acta Neuropathologica* 13.3 (1969), pp. 197–216. DOI: [10.1007/BF00690642](https://doi.org/10.1007/BF00690642).

- [59] Ochoa, J. and Mair, W. G. P. “The normal sural nerve in man. II. Changes in the Axons and Schwann Cells due to Ageing”. en. In: *Acta Neuropathologica* 13.3 (1969), pp. 217–239. DOI: [10.1007/BF00690643](https://doi.org/10.1007/BF00690643).
- [60] Ozer, E., Icke, C., and Arda, N. “Microanatomical Study of the Intracranial Abducens Nerve: Clinical Interest and Surgical Perspective”. en. In: *Turkish Neurosurgery* 20.4 (2010). DOI: [10.5137/1019-5149.JTN.3303-10.1](https://doi.org/10.5137/1019-5149.JTN.3303-10.1).
- [61] Park, J.H. et al. “Evaluation of Olfactory Bulb Size on MR Imaging in Normal Volunteers and Anosmic or Hyposmic Patients without Nasal Disease”. en. In: *Journal of the Korean Radiological Society* 38.4 (1998), pp. 589–593. DOI: [10.3348/jkrs.1998.38.4.589](https://doi.org/10.3348/jkrs.1998.38.4.589).
- [62] Pennisi, E. et al. “Histometric study of myelinated fibers in the human trigeminal nerve”. en. In: *Journal of the Neurological Sciences* 105.1 (1991), pp. 22–28. DOI: [10.1016/0022-510X\(91\)90113-L](https://doi.org/10.1016/0022-510X(91)90113-L).
- [63] Pereya, P.M. et al. “Development of myelinated and unmyelinated fibers of human vagus nerve during the first year of life”. en. In: *Journal of the Neurological Sciences* 110.1-2 (1991), pp. 107–113. DOI: [10.1016/0022-510X\(92\)90016-E](https://doi.org/10.1016/0022-510X(92)90016-E).
- [64] Polguj, M. et al. “The variable morphology of suprascapular nerve and vessels at suprascapular notch: a proposal for classification and its potential clinical implications”. en. In: *Knee Surgery, Sports Traumatology, Arthroscopy* 23 (2015), pp. 1542–8. DOI: [10.1007/s00167-014-2937-1](https://doi.org/10.1007/s00167-014-2937-1).
- [65] Pollock, M. et al. “Peripheral nerve morphometry in stroke patients”. en. In: *Journal of the Neurological Sciences* 65.3 (2015), pp. 341–352. DOI: [10.1016/0022-510X\(84\)90097-2](https://doi.org/10.1016/0022-510X(84)90097-2).
- [66] Prameela and Rai. “Anatomical Study of Width and Thickness of Sciatic Nerve in the Gluteal Region”. en. In: *Proceedings of 44th The IIER International Conference*. Vol. 65. 3. Cape Town, South Africa, 2015.
- [67] Prechtel, James C. and Powley, Terry L. “The fiber composition of the abdominal vagus of the rat”. en. In: *Anatomy and Embryology* 181 (1990), pp. 101–115. DOI: [10.1007/BF00198950](https://doi.org/10.1007/BF00198950).
- [68] Ramkumar, Muthu et al. “The Human Trochlear and Abducens Nerves at Different Ages - a Morphometric Study”. en. In: *Aging and disease* 6.1 (2015), p. 6. DOI: [10.14336/AD.2014.0310](https://doi.org/10.14336/AD.2014.0310).
- [69] Reina, M.A. et al. *Atlas of Functional Anatomy for Regional Anesthesia and Pain Medicine*. en. Springer, 2015. DOI: [10.1007/978-3-319-09522-6](https://doi.org/10.1007/978-3-319-09522-6).
- [70] Sachis, Paul N. et al. “Myelination of the Human Vagus Nerve from 24 Weeks Postconceptional Age to Adolescence”. en. In: *Journal of Neuropathology & Experimental Neurology* 41.4 (1982), pp. 466–472. DOI: [10.1097/00005072-198207000-00009](https://doi.org/10.1097/00005072-198207000-00009).

- [71] Saxod, R. et al. “The density of myelinated fibres is related to the fascicle diameter in human superficial peroneal nerve”. en. In: *Journal of the Neurological Sciences* 71.1 (1985), pp. 49–64. DOI: [10.1016/0022-510X\(85\)90036-X](https://doi.org/10.1016/0022-510X(85)90036-X).
- [72] Schefter, R. P. and Harner, S. G. “Histologic Study of the Vestibulocochlear Nerve”. en. In: *Annals of Otolaryngology & Laryngology* 95.2 (1986), pp. 146–150. DOI: [10.1177/000348948609500207](https://doi.org/10.1177/000348948609500207).
- [73] Schiefer, M. A., Triolo, R. J., and Tyler, D. J. “A Model of Selective Activation of the Femoral Nerve With a Flat Interface Nerve Electrode for a Lower Extremity Neuroprosthesis”. en. In: vol. 16. 2. 2008, pp. 195–204. DOI: [10.1109/TNSRE.2008.918425](https://doi.org/10.1109/TNSRE.2008.918425).
- [74] Schnitzlein, Harold Norman, Rowe, Luther Conrad, and Hoffman, Henry Harland. “The myelinated component of the vagus nerves in man”. en. In: *The Anatomical Record* 131.4 (1958), pp. 649–667. DOI: [10.1002/ar.1091310404](https://doi.org/10.1002/ar.1091310404).
- [75] Seki, A. et al. “Sympathetic nerve fibers in human cervical and thoracic vagus nerves”. en. In: *Heart Rhythm* 11.8 (2014), pp. 1411–1417. DOI: [10.1016/j.hrthm.2014.04.032](https://doi.org/10.1016/j.hrthm.2014.04.032).
- [76] Smoljanovic, T., Miklic, D., and Ggurevic, L. “Diameter of suprascapular nerve in the suprascapular notch”. en. In: *Pain Physician* 11.2 (2008).
- [77] Soong, Julie, Schafhalter-Zoppoth, Ingeborg, and Gray, Andrew T. “Sonographic Imaging of the Obturator Nerve for Regional Block”. en. In: 32.2 (2007), pp. 146–151. DOI: [10.1016/j.rapm.2006.10.012](https://doi.org/10.1016/j.rapm.2006.10.012).
- [78] Stecco, C. et al. “Surgical anatomy of the axillary nerve and its implication in the transdeltoid approaches to the shoulder”. en. In: *Journal of Shoulder and Elbow Surgery* 19.8 (2010), pp. 166–1174. DOI: [10.1016/j.jse.2010.05.010](https://doi.org/10.1016/j.jse.2010.05.010).
- [79] Stelzner, S. et al. “Internal anal sphincter nerves – a macroanatomical and microscopic description of the extrinsic autonomic nerve supply of the internal anal sphincter”. en. In: *Colorectal Disease* 20.1 (2018), O7–O16. DOI: [10.1111/codi.13942](https://doi.org/10.1111/codi.13942).
- [80] Stewart, John D. “Peripheral nerve fascicles: Anatomy and clinical relevance”. en. In: *Muscle & Nerve* 28.5 (2003), pp. 525–541. DOI: [10.1002/mus.10454](https://doi.org/10.1002/mus.10454).
- [81] Sunderland, Sir Sydney. “The anatomy and physiology of nerve injury”. en. In: *Muscle & Nerve* 13.9 (1990), pp. 771–784. DOI: [10.1002/mus.880130903](https://doi.org/10.1002/mus.880130903).
- [82] Svane, T. J. et al. “Fascicular characteristics of the human inferior alveolar nerve”. en. In: *Journal of Oral and Maxillofacial Surgery* 44.6 (1986), pp. 431–434. DOI: [10.1016/S0278-2391\(86\)80006-4](https://doi.org/10.1016/S0278-2391(86)80006-4).
- [83] Swallow, M. “Fibre size and content of the anterior tibial nerve of the foot”. en. In: *Journal of Neurology, Neurosurgery & Psychiatry* 29.3 (1966), pp. 205–213. DOI: [10.1136/jnnp.29.3.205](https://doi.org/10.1136/jnnp.29.3.205).

- [84] Sylvain, David et al. “Transfer of Pectoral Nerves to Suprascapular and Axillary Nerves: An Anatomic Feasibility Study”. en. In: *The Journal of Hand Surgery* 35.1 (2010), pp. 92–96. DOI: [10.1016/j.jhsa.2009.09.007](https://doi.org/10.1016/j.jhsa.2009.09.007).
- [85] Tiago, Romualdo Suzano Louzeiro, Pontes, Paulo Augusto de Lima, and Brasil, Osiris de Oliveira Campones do. “Quantitative analysis of myelinic fibers in human laryngeal nerves according to age”. en. In: *Revista Brasileira de Otorrinolaringologia* 74 (2008), pp. 45–52. DOI: [10.1590/S0034-72992008000100008](https://doi.org/10.1590/S0034-72992008000100008).
- [86] Tiago, Romualdo Suzano Louzeiro et al. “Morphometric aspects of the human hypoglossal nerve in adults and the elderly”. en. In: *Brazilian Journal of Otorhinolaryngology* 71.5 (2005), pp. 554–558. DOI: [10.1016/S1808-8694\(15\)31256-8](https://doi.org/10.1016/S1808-8694(15)31256-8).
- [87] Tohgi, Hideo, Tsukagoshi, Hiroshi, and Toyokura, Yasuo. “Quantitative changes with age in normal sural nerves”. en. In: *Acta Neuropathologica* 38.3 (1977), pp. 213–220. DOI: [10.1007/BF00688067](https://doi.org/10.1007/BF00688067).
- [88] Tompkins, Rebecca P. R. et al. “Arrangement of sympathetic fibers within the human common peroneal nerve: implications for microneurography”. en. In: *Journal of Applied Physiology* 115.10 (2013), pp. 1553–1561. DOI: [10.1152/jappphysiol.00273.2013](https://doi.org/10.1152/jappphysiol.00273.2013).
- [89] Ugrenovic, S. et al. “Morphological and morphometric analysis of fascicular structure of tibial and common peroneal nerves”. en. In: *Facta Universitatis, Series: Medicine and Biology* 16.1 (2014).
- [90] Verlinden, T. J. M. et al. “Morphology of the human cervical vagus nerve: implications for vagus nerve stimulation treatment”. en. In: *Acta Neurologica Scandinavica* 133.3 (2016), pp. 173–182. DOI: [10.1111/ane.12462](https://doi.org/10.1111/ane.12462).
- [91] Verlinden, T. J. M. et al. “The human phrenic nerve serves as a morphological conduit for autonomic nerves and innervates the caval body of the diaphragm”. en. In: *Nature, Scientific Reports* 8 (2018), p. 11697. DOI: [10.1038/s41598-018-30145-x](https://doi.org/10.1038/s41598-018-30145-x).
- [92] Wang, Chengyuan et al. “A description of the anatomy of the glossopharyngeal nerve as encountered in transoral surgery”. en. In: *The Laryngoscope* 126.9 (2016), pp. 2010–2015. DOI: [10.1002/lary.25706](https://doi.org/10.1002/lary.25706).
- [93] Witoonchart, K. et al. “Nerve transfer to deltoid muscle using the nerve to the long head of the triceps, part I: an anatomic feasibility study”. en. In: *The Journal of Hand Surgery* 28.4 (2003), pp. 628–632. DOI: [10.1016/S0363-5023\(03\)00200-4](https://doi.org/10.1016/S0363-5023(03)00200-4).
- [94] Zhang, Q. et al. “Study of the neural and vascular anatomy of the anterolateral thigh flap”. en. In: *Journal of plastic, reconstructive & aesthetic surgery* 63.2 (2008), pp. 365–371. DOI: [10.1016/j.bjps.2008.09.028](https://doi.org/10.1016/j.bjps.2008.09.028).
- [95] Zhong, Yingchun et al. “Three-dimensional reconstruction of peripheral nerve internal fascicular groups”. en. In: *Scientific reports* 5 (2015), p. 17168. DOI: [10.1038/srep17168](https://doi.org/10.1038/srep17168).

- [96] Zhou, Mou-Wang et al. “Microsurgical Anatomy of Lumbosacral Nerve Rootlets for Highly Selective Rhizotomy in Chronic Spinal Cord Injury”. en. In: *The Anatomical Record* 293.12 (2010), pp. 2123–2128. DOI: [10.1002/ar.21213](https://doi.org/10.1002/ar.21213).
- [97] Zhu, Jiaan et al. “Ultrasound of the lateral femoral cutaneous nerve in asymptomatic adults”. en. In: *BMC musculoskeletal disorders* 13.1 (2012), p. 227. DOI: [10.1186/1471-2474-13-227](https://doi.org/10.1186/1471-2474-13-227).
- [98] Zin, Thant et al. “How I do it: Simple and effortless approach to identify thoracodorsal nerve on axillary clearance procedure”. en. In: *ecancermedicalscience* 6 (2012). DOI: [10.3332/ecancer.2012.255](https://doi.org/10.3332/ecancer.2012.255).